



MATERIAL SAFETY DATA SHEET (MSDS)

1. PRODUCT & COMPANY IDENTIFICATION

Product identifier
Product Code 1405
Product Name FIXPROOF PU FOAM

Intended use

Information about MSDS prepared company

INTERFIKS A.Ş. , Cavusbasi Cad. Yedekreis Sk. 7/2 Kavacık
Beykoz, Istanbul / TURKEY
Tel: +90(216) 425 1898 Faks: +90(216) 425 2099
E-posta: interfiks@interfiks.com.tr
[Internet: www.interfiks.com.tr](http://www.interfiks.com.tr)
[Responsible Person: sezin.selcuk@interfiks.com.tr](mailto:sezin.selcuk@interfiks.com.tr)

Emergency telephone number

+90 216 487 53 45

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical character Polyurethane

Hazardous ingredients methylenediphenyl diisocyanate < 5 % CAS NO:9016-87-9
Carc. Cat. 3; R40
Xn ; R42/43

3. POTENTIAL HAZARDS

Hazards Information Carcinogenicity - Category 2 (CLP : Carc. 2) H351
Main Hazards Respiratory sensitization - Category 1 - Danger (CLP : Resp. Sens. 1) H334
Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317

4. FIRST AID MEASURES

Eye Contact Rinse immediately for 15 minutes with plenty of water. Obtain medical attention.
Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

MATERIAL SAFETY DATA SHEET (MSDS)

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

Ingestion Do not induce vomiting. Obtain emergency medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable Foam, water spray, dry powder, carbon dioxide, sand.

Not to be used Do not use a heavy water stream.

Combustion products Carbonmonoxide, carbondioxide

Other information -

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use breathing equipment if fumes or powders are released into the air. Use in ventilated areas.

Enviromental Precautions The product must not penetrate the sewers, surface water, ground water and neighbouring areas.

7. HANDLING & STORAGE

Handling Use in well ventilated areas. Hands and contaminated instruments should be washed thoroughly with water after handling and before eating .

Storage Keep containers tightly closed and dry.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Eye protection Chemical goggles or safety glasses

Hand protection PVC, neopren, nitrile or other type II gloves

Other Don't smoke and eat during application

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance Liquid

Colour Colourless to light yellow

Odour Odourless

pH Not determined.

Melting or freezing point Not determined.

Boiling point Not determined.

Distillation range Not determined.

Flash point > 200 °C

Evaporation Rate Not determined.

MATERIAL SAFETY DATA SHEET (MSDS)

Lower inflammability limit	Not determined.
Upper inflammability limit	Not determined.
Lower explosive limit	Not determined.
Upper explosive limit	Not determined.
Density	1,10 ± 0,05 g/cm ³
Solubility	Water-insoluble, soluble in organic solvents
Auto-ignition temperature	Not determined.
Viscosity	Not determined.
Flammability	Not determined.

10. STABILITY & REACTIVITY

Hazardous decomposition products	Not determined
Hazardous reactions	Not determined

11. INFORMATION ON TOXICITY

Information on toxicological effects

Skin irritation	may cause irritation
Eye irritation	may cause irritation
Other information	Toxic when inhale

12. INFORMATION ON ECOLOGICAL EFFECTS

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

13. DISPOSAL

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Avoid release to the environment.

14. TRANSPORT

RID/ADR

UN N° : 3082

H.I. nr : 90

ADR - Class : 9

Labelling - Transport: 9

ADR-Classification code M6

ADR - Group III

ADR - Packing instructions P001 R001 LP001

ADR - Limited Quantity 5 L

MATERIAL SAFETY DATA SHEET (MSDS)

ICAO/IATA

UN N° 3082

IATA - Class or division 9

IATA - Packing group III

IATA - Passenger and Cargo Aircraft Müsait

Passenger and Cargo - Packing instruction 964

Passenger and Cargo - Maximum 450L

Quantity/Packing

IATA - Cargo only Müsait

Cargo only - Packing instruction 964

Cargo only - Maximum Quantity Packing 450 L

IATA - Limited Quantities 30 kg G

ERG-Nr 9 L

Other information Not determined

15. REGULATIONS

Labelling Classified by EC directions/related laws

Symbol N: Dangerous to the environment

R Phrase (R) R 50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S Phrase (S)

- S 2 – Keep out of the reach of children
- S 23 – Do not breathe vapour
- S 26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- S 28 – After contact with skin, wash immediately with plenty of water
- S 36/37/39 - Wear suitable protective clothing, gloves and eye/face protection
- S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet

MATERIAL SAFETY DATA SHEET (MSDS)

16. FURTHER INFORMATION

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.